



SCROLL SAW BLADE SELECTION CHART

This scroll saw blade selection chart is a base for any woodworker, from someone who wants to begin scrolling and doesn't know which blade to select, to an experienced scroller looking for a perfect fit for their project. Additional technical information is available on our product packaging and online.

Pégas are blade manufacturing specialists from Switzerland. Their products are recognised by professionals and individuals alike as the best Scroll Saw blades available, outperforming and outlasting competition in testing. Carbatec are proud to offer these blades to the Australian market.

SUPER-SKIP



Use the new Pégas®Super-Skip saw blade when you want to achieve a smooth finish from an aggressive blade. Specially designed for hard and medium-hardwoods, Super-Skip also works perfectly on Acrylic with a reduced speed. The spaces between the teeth of the Super-Skip blade are wider than the normal skip-tooth configuration. This enables the blade to cut very quickly, leaving a smooth finish. The surface sawdust is whisked away and the edge remains clean.

SKU	Universal #	Blade Thickness (mm)	Blade Width (mm)	TPI (in.)	Kerf (mm)	Hardwoods	Medium Hardwoods	Softwoods	Plywood	Corian - Plastics	Alum., Brass, Copper	Ferrous Materials	Optimal Material Thickness (mm)	Intricate Cuts	Tight Turns	Light Turns
PEG-90-581	1	0.26	0.76	17.2	0.29	Green	Green	Yellow	Yellow	Green	Red	Red	2.5-8	●		
PEG-90-583	3	0.32	0.85	14.8	0.35	Green	Green	Yellow	Yellow	Green	Red	Red	4-10	●		
PEG-90-585	5	0.36	1.02	12.8	0.4	Green	Green	Yellow	Yellow	Green	Red	Red	8-15		●	
PEG-90-587	7	0.4	1.24	11.3	0.45	Green	Green	Yellow	Yellow	Green	Red	Red	10-20		●	
PEG-90-589	9	0.44	1.3	10.1	0.49	Green	Green	Yellow	Yellow	Green	Red	Red	12-25			●

SKIP



Universal Scroll saw blade, very efficient in Hard and Medium-Hard woods. The wide range of skip allows the cutting of intricate patterns as well as rough-cut work. It will accept a fast feed rate and will leave a smooth finish.

SKU	Universal #	Blade Thickness (mm)	Blade Width (mm)	TPI (in.)	Kerf (mm)	Hardwoods	Medium Hardwoods	Softwoods	Plywood	Corian - Plastics	Alum., Brass, Copper	Ferrous Materials	Optimal Material Thickness (mm)	Intricate Cuts	Tight Turns	Light Turns
PEG-90-401	0	0.24	0.74	25.4	0.26	Green	Green	Yellow	Yellow	Red	Red	Red	2-6	●		
PEG-90-403	2	0.3	0.78	21	0.33	Green	Green	Yellow	Yellow	Red	Red	Red	3-10	●		
PEG-90-405	4	0.34	0.95	18.1	0.38	Green	Green	Yellow	Yellow	Red	Red	Red	5-12		●	
PEG-90-407	6	0.38	1.12	15.9	0.42	Green	Green	Yellow	Yellow	Red	Red	Red	8-18		●	
PEG-90-409	8	0.42	1.28	14.1	0.47	Green	Green	Yellow	Yellow	Red	Red	Red	12-20			●
PEG-90-411	10	0.46	1.38	12.7	0.52	Green	Green	Yellow	Yellow	Red	Red	Red	15-30			●
PEG-90-413	12	0.5	1.55	11.5	0.56	Green	Green	Yellow	Yellow	Red	Red	Red	20-50			●



SUPER-HOOK



The SUPER-HOOK blade was developed for efficient cutting of thick hardwoods. It easily cuts up to 3" hardwood. The SUPER-HOOK is the equivalent of a miniature band saw.

SKU	Universal #	Blade Thickness (mm)	Blade Width (mm)	TPI (in.)	Kerf (mm)	Hardwoods	Medium Hardwoods	Softwoods	Plywood	Corian - Plastics	Alum., Brass, Copper	Ferrous Materials	Optimal Material Thickness (mm)	Intricate Cuts	Tight Turns	Light Turns
PEG-90-614	14	0.5	2.4	7	0.76	Green	Green	Yellow	Yellow	Red	Red	Red	15-60			●
PEG-90-616	16	0.5	4	6.7	0.8	Green	Green	Yellow	Yellow	Red	Red	Red	15-75			●

DOUBLE SKIP



This tooth arrangement offers an efficient chip removal and, therefore, prevents wood from burning. This fast blade leaves a smooth finish. Excellent for soft woods.

SKU	Universal #	Blade Thickness (mm)	Blade Width (mm)	TPI (in.)	Kerf (mm)	Hardwoods	Medium Hardwoods	Softwoods	Plywood	Corian - Plastics	Alum., Brass, Copper	Ferrous Materials	Optimal Material Thickness (mm)	Intricate Cuts	Tight Turns	Light Turns
PEG-90-524	3	0.32	0.85	16.9	0.36	Yellow	Yellow	Green	Yellow	Yellow	Red	Red	8-15	●		
PEG-90-526	5	0.36	1.02	14.7	0.4	Yellow	Yellow	Green	Yellow	Yellow	Red	Red	10-20		●	
PEG-90-528	7	0.4	1.24	12.8	0.45	Yellow	Yellow	Green	Yellow	Yellow	Red	Red	12-25		●	

SKIP REVERSE



Same tooth geometry as Skip but with an addition of reverse teeth to the bottom of the blade. Reverse blades prevent splinters on the underside of the work piece. Excellent blade for softer woods.

SKU	Universal #	Blade Thickness (mm)	Blade Width (mm)	TPI (in.)	Kerf (mm)	Hardwoods	Medium Hardwoods	Softwoods	Plywood	Corian - Plastics	Alum., Brass, Copper	Ferrous Materials	Optimal Material Thickness (mm)	Intricate Cuts	Tight Turns	Light Turns
PEG-90-428	3R	0.32	0.85	16.4	0.36	Yellow	Yellow	Green	Green	Red	Red	Red	4-10	●		
PEG-90-429	5R	0.36	1.02	14.5	0.41	Yellow	Yellow	Green	Green	Red	Red	Red	8-15		●	
PEG-90-430	7R	0.4	1.24	13	0.46	Yellow	Yellow	Green	Green	Red	Red	Red	10-20		●	
PEG-90-431	9R	0.44	1.3	11.8	0.52	Yellow	Yellow	Green	Green	Red	Red	Red	12-25		●	

DOUBLE REVERSE



Same as Double Skip but reverse, for a splinter free finish on the underside of the piece. Efficient blade for many woods where overheating is to be avoided.

SKU	Universal #	Blade Thickness (mm)	Blade Width (mm)	TPI (in.)	Kerf (mm)	Hardwoods	Medium Hardwoods	Softwoods	Plywood	Corian - Plastics	Alum., Brass, Copper	Ferrous Materials	Optimal Material Thickness (mm)	Intricate Cuts	Tight Turns	Light Turns
PEG-90-432	5R	0.36	1.02	12.1	0.41	Yellow	Green	Green	Green	Yellow	Red	Red	8-15		●	
PEG-90-433	7R	0.4	1.24	10.9	0.46	Yellow	Green	Green	Green	Yellow	Red	Red	10-20		●	
PEG-90-434	9R	0.44	1.3	9.7	0.52	Yellow	Green	Green	Green	Yellow	Red	Red	12-25		●	

Modified Geometry



Modified Geometry Teeth (MGT)... probably the best blade on the market! The specific tooth design makes this blade extremely efficient - tolerates aggressive feed rates, avoids overheating, and leaves a smooth finish with no splinters.

SKU	Universal #	Blade Thickness (mm)	Blade Width (mm)	TPI (in.)	Kerf (mm)	Hardwoods	Medium Hardwoods	Softwoods	Plywood	Corian - Plastics	Alum., Brass, Copper	Ferrous Materials	Optimal Material Thickness (mm)	Intricate Cuts	Tight Turns	Light Turns
PEG-90-438	2/0R	0.22	0.6	15.4	0.6	Green	Green	Yellow	Yellow	Green	Red	Red	6-10	●		
PEG-90-439	1R	0.26	0.76	13.7	0.76	Green	Green	Yellow	Yellow	Green	Red	Red	8-15	●		
PEG-90-440	3R	0.32	0.85	12.4	0.85	Green	Green	Yellow	Yellow	Green	Red	Red	8-20	●		
PEG-90-441	5R	0.36	1.02	11.3	1.02	Green	Green	Yellow	Yellow	Green	Red	Red	8-25	●		
PEG-90-442	7R	0.4	1.24	10.4	1.24	Green	Green	Yellow	Yellow	Green	Red	Red	10-30		●	
PEG-90-443	9R	0.44	1.3	9.6	1.3	Green	Green	Yellow	Yellow	Green	Red	Red	12-35		●	
PEG-90-444	12R	0.5	1.55	8.6	1.55	Green	Green	Yellow	Yellow	Green	Red	Red	15-40		●	

SPIRAL



The 360° teeth allow sawing in all directions. The work does not have to be turned to make cuts, so sharp inside corners can be created. This also allows working long pieces which couldn't be turned on a 16" or 21" scroll saw.

SKU	Universal #	Blade Thickness (mm)	Blade Width (mm)	TPI (in.)	Kerf (mm)	Hardwoods	Medium Hardwoods	Softwoods	Plywood	Corian - Plastics	Alum., Brass, Copper	Ferrous Materials	Optimal Material Thickness (mm)	Intricate Cuts	Tight Turns	Light Turns
PEG-90-501	0	0.74	N/A	54	0.86	Red	Yellow	Green	Green	Yellow	Yellow	Red	1.5-5	●		
PEG-90-503	2	0.8	N/A	46.2	0.96	Red	Yellow	Green	Green	Yellow	Yellow	Red	2-6	●		
PEG-90-505	4	0.95	N/A	39.1	1.14	Red	Yellow	Green	Green	Yellow	Yellow	Red	2-7	●		
PEG-90-507	6	1.12	N/A	33.9	1.32	Red	Yellow	Green	Green	Yellow	Yellow	Red	2.5-8	●		
PEG-90-509	8	1.28	N/A	31.8	1.48	Red	Yellow	Green	Green	Yellow	Yellow	Red	3-10	●		

METAL CUTTING



Blade specially designed and heat treated to perform on ferrous and non-ferrous metals. Allows very fine and precise cuts. Can be used by hand with a frame or on the scroll saw.

SKU	Universal #	Blade Thickness (mm)	Blade Width (mm)	TPI (in.)	Kerf (mm)	Hardwoods	Medium Hardwoods	Softwoods	Plywood	Corian - Plastics	Alum., Brass, Copper	Ferrous Materials	Optimal Material Thickness (mm)	Intricate Cuts	Tight Turns	Light Turns
PEG-90-544	2	0.34	0.7	45	0.36	Red	Red	Red	Red	Red	Green	Green	2-6	●		
PEG-90-547	5	0.4	0.85	35	0.42	Red	Red	Red	Red	Red	Green	Green	2.5-8		●	
PEG-90-549	8	0.5	1.15	28	0.52	Red	Red	Red	Red	Red	Green	Green	3-10		●	



SWISS SCROLL SAW BLADES
MANUFACTURED IN SWITZERLAND



PINNED BLADES

Pegas offer a range of 'Pinned' blades, designed for use on Scroll Saw's with chuck heads suited to this style. Pinned blades have a cross pin at each end of the blade and are not suitable for 'Pinless' style chuck heads.

Pinned Regular



Pinned Skip



Pinned Hook



SKU	Blade Style	Blade Thickness (mm)	Blade Width (mm)	TPI (in.)	Kerf (mm)	Hardwoods	Medium Hardwoods	Softwoods	Plywood	Corian - Plastics	Alum., Brass, Copper	Ferrous Materials	Optimal Material Thickness (mm)	Intricate Cuts	Tight Turns	Light Turns
PEG-90-475	Reg.	0.5	3	20	0.72	Red	Red	Yellow	Yellow	Green	Yellow	Red	4-30			●
PEG-90-476	Reg.	0.5	3	15	0.72	Red	Red	Yellow	Yellow	Green	Yellow	Red	5-35			●
PEG-90-478	Reg.	0.25	2	25	0.4	Red	Red	Yellow	Yellow	Green	Yellow	Red	3-20			●
PEG-90-480	Skip	0.5	3	9	0.72	Red	Red	Yellow	Yellow	Green	Yellow	Red	10-60			●
PEG-90-481	Skip	0.25	2	18.5	0.36	Green	Green	Yellow	Yellow	Yellow	Red	Red	4-30			●
PEG-90-485	Hook	0.5	3	7	0.74	Green	Green	Yellow	Yellow	Yellow	Red	Red	10-75			●

REGULAR PROGRESSIVE



The Pegas® Regular Progressive Blade was particularly developed for use in a hand-held saw frame. It is resistant to breakage in this use due to its unique progressive tooth geometry, making for very smooth starting cuts without resistance. These blades are suited to non-ferrous metals and other materials harder than wood.

SKU	Blade Style	Blade Thickness (mm)	Blade Width (mm)	TPI (in.)	Kerf (mm)	Hardwoods	Medium Hardwoods	Softwoods	Plywood	Corian - Plastics	Alum., Brass, Copper	Ferrous Materials	Optimal Material Thickness (mm)	Intricate Cuts	Tight Turns	Light Turns
PEG-90-467	2	0.3	0.78	39.35	N/A	Yellow	Red	Red	Yellow	Green	Green	Red	2-6		●	
PEG-90-468	5	0.36	1.02	29.8	N/A	Yellow	Red	Red	Yellow	Green	Green	Red	3-10		●	

GENERAL INFORMATION

The smaller the blade number is, the smaller radius it will cut. The smaller the blade number is, the narrower the kerf will be.

Before starting a new project, ask yourself these questions:

- What type of material am I cutting?
- How thick is the piece of material?
- How thin does the cut line need to be (Puzzle, Intarsia)?

LEGEND

RECOMMENDED	OK TO USE	NOT RECOMMENDED

Available at

carbatec
THE HOME OF WOODWORKING

1800 658 111 | carbatec.com.au



ADELAIDE | BRISBANE | MELBOURNE | SYDNEY | PERTH | HOBART | LAUNCESTON | AUCKLAND